

## STANDARD HEIGHT & WEIGHT FOR INDIANS

HEIGHT Mts. Ft.	MENS		WOMENS	
	Kgs	Lbs	Kgs	Lbs
1.52 (5'-0")			50.8 - 54.4	112 - 120
1.55 (5'-1")			51.7 - 55.3	114 - 122
1.57 (5'-2")	56.3 - 60.3	124 - 133	53.1 - 56.7	117 - 125
1.60 (5'-3")	57.6 - 61.7	127 - 136	55.4 - 58.1	120 - 128
1.62 (5'-4")	58.9 - 63.5	130 - 140	56.4 - 59.9	124 - 132
1.65 (5'-5")	60.8 - 65.3	134 - 144	57.6 - 61.2	127 - 135
1.68 (5'-6")	62.2 - 66.7	137 - 147	58.9 - 63.5	130 - 140
1.70 (5'-7")	64.0 - 68.5	141 - 151	60.8 - 65.3	134 - 144
1.73 (5'-8")	65.8 - 70.8	145 - 156	62.2 - 66.7	137 - 147
1.75 (5'-9")	67.6 - 72.6	149 - 160	64.0 - 68.5	141 - 151
1.78 (5'-10")	69.4 - 74.4	153 - 164	65.8 - 70.3	145 - 155
1.80 (5'-11")	71.2 - 76.2	157 - 168	67.1 - 71.7	149 - 158
1.83 (6'-0")	73.0 - 78.5	161 - 173	68.5 - 73.9	151 - 163
1.85 (6'-1")	75.3 - 80.7	166 - 178		
1.88 (6'-2")	77.6 - 83.5	171 - 184		
1.90 (6'-3")	79.8 - 85.7	176 - 189		

### INNER HEALTH

*In today's age of speed, fear and tension, man in his rush, has lost sight of the importance of his health.*

*Our forefathers knew better.*

*They developed a system of good quality living, prayer, right food, exercise and nature's medicine.*

*HERBO MINERAL medicines have been developed to look after your INNER HEALTH*



Since 1917

**J & J DeChane**

Laboratories Private Limited  
4 - 1 - 324 Residency Road  
Hyderabad - 500 001 India  
Consumer Care No : 040 - 24753537

e-mail: [dechane@eth.net](mailto:dechane@eth.net)

[www.dechane.com](http://www.dechane.com)

*For the information of Medical profession only*

# THERAPEUTIC INDEX



*In the service of health since 1917*

# J & J DeChane

# A tribute to the founder of J & J DeChane Laboratories (P) Limited

## Over 93 Years ago

J & J DeChane was founded in 1917 in Hyderabad, India, by the late D.F. deSouza. He was a man born before his time, who combined in a very unique fashion, great vision with a vast knowledge of the different systems of medicine.

## D. F. deSouza

D.F. deSouza sought to combine the best in all the three systems of medicine - modern (allopathy), ayurveda and homeopathy. His aim was to provide effective drugs for the Indian masses, with minimal side effects and at a low cost.

## Herbo-mineral medicines

The result of his untiring efforts and single minded devotion was an array of over 50 unique preparations, designed to treat common ailments, provide **efficacy, safety and economy**.

## DeChane - Popular drugs in rural India

Over the last nine decades, J & J DeChane Herbo-mineral medicines have become popular in India, from the cities and villages of Kerala and Tamil Nadu to the cities and villages of UP and Punjab and from Gujarat and Maharashtra to the remote villages in Assam. The efficacy of the products has helped to build up peoples faith in DeChane medicines. This in fact, is the large body of unpublished clinical trials for those **Time Tested** remedies.

## Many modern remedies are herbal

Very often the question arises : "Are these herbal medicines part of modern science, or are they outdated?"

Many modern remedies are in any case herbal  
e.g. Digitalis, Reserpine, Ergot, and even Corticosteroids.

Unfortunately, many of these remedies, though proven in their usefulness in practice, have not been studied in depth in the same organised manner as some modern remedies.

This is where J & J DeChane is trying to make a contribution with organised and systematic studies of herbo-mineral medicines.

## DeChane medicines have a place in modern drug therapy.

Many modern doctors feel that there has been great advance in the medical field, and this is true.

However, there are still many problems. Bacteria are daily getting resistant to drugs like sulpha meds and antibiotics. Testing is always not possible before administering specific therapy.

In these circumstances, there must be something that the doctor can use which is tried, tested and safe.

## DeChane medicines provide an answer because they are effective and safe.

Hyderabad

January - 2011.

# INDEX

	Page		Page
System Wise Classification	i		
<b>ALLOPATHIC</b>			
Albocal	.... 1	Healing Dust	.... 5
Decil	.... 1	Magnine	.... 6
Feriminets	.... 2	Skinment	.... 7
Ferrous Fumarate	.... 4		
<b>AYURVEDIC</b>			
Albo-Sang	.... 8	Koflyn Syrup	.... 30
Albovit Powder	.... 9	Koflyn	.... 31
Bio-Sal	.... 10	Kynotomine	.... 32
Brahamdine	.... 11	Livactin-G	.... 33
Brahamdine Syrup	.... 12	Medicated Tooth Powder	34
Chesol	.... 13	Meditab	.... 35
Chiniumco	.... 14	Mersina	.... 36
Dangine	.... 15	Nevoss	.... 37
Desma	.... 16	Olosyn	.... 38
Diasyn	.... 17	Rasgent	.... 39
Entrops	.... 18	Remorin	.... 40
Fluzen	.... 19	Remorin Oil	.... 41
Gastromone	.... 20	Ripanto	.... 42
Gastromone Forte	.... 21	Rubzon	.... 43
Gigi Syrup	.... 22	Sal Phos	.... 44
Grandi-Co	.... 23	Senzine	.... 46
Hemoplex	.... 24	Spolax	.... 47
Herbitars	.... 25	Spolax-E Powder	.... 48
Herbitars Forte	.... 26	Turaico	.... 48
Herbo-Sulph	.... 27	Vitesson	.... 49
Iobine	.... 28	Vitesson Forte	.... 50
Iobine Forte	.... 29		
<b>HOMEOPATHIC</b>			
Agar-Co	.... 51	Auratinum	.... 52
Amyglia	.... 52	Zaher-Co	.... 53

## System wise classification of formulations

### ALIMENTARY SYSTEM

Antacids	: Magnine
Antiamoebic/ Antidiarrhoeals	: Diasyn Tabs & Syrup
Cirrhosis	: Herbitars, Herbitars Forte, Albo-Sang
Constipation	: Spolax, Spolax-E, Herbitars, Sal Phos
Digestives	: Sal Phos, Bio-Sal, Gastromone, Gastromone Forte
Hepato-biliary stimulant	: Herbitars, Herbitars Forte
Jaundice	: Kynotomine, Herbitars, Herbitars Forte

### CARDIO-VASCULAR SYSTEM

Anginal drugs	: Amyglia
Antihypertensives	: Vitesson, Vitesson Forte, Grandi-Co, Amyglia
Haemostatics	: Chiniumco

### CENTRAL NERVOUS SYSTEM

Analgesic / Anti-pyretic	: Decil
Anti-convulsants	: Agarco, Vitesson, Vitesson Forte
Anxiolytics	: Nevoss, Vitesson, Vitesson Forte
Tranquillizers	: Vitesson, Vitesson Forte

### MUSCULO-SKELETAL DISORDERS

Arthritis	: Remorin Caps & Oil
Myalgia	: Decil, Chesol, Rubzon
Myopathy	: Rubzon, Chesol, Olosyn
Neuralgia	: Decil, Remorin Caps & Oil, Chesol, Vitesson, Vitesson Forte, Rubzon
Rheumatic disorders	: Decil, Remorin Caps & Oil, Chesol, Rubzon
Rubefaciants	: Rubzon, Chesol
Osteopathy	: Albo-Sang, Albocal

### NUTRITION

Alcoholics (protective)	: Albo-Sang, Herbitars, Herbitars Forte
Appetite stimulants	: Sal Phos, Bio-Sal, Albo-Sang, Herbitars, Herbitars Forte
Iron preparations	: Ferrous Fumarate, Feriminets
Tonics	: Albo-Sang, Iobine, Iobine Forte, Bio-Sal, Livactin-G
Calcium supplements	: Albovit, Albocal, Albo-Sang

## SKIN

Antiseptic dusting powder	: Healing Dust
Acne	: Rasgent, lobine, lobine Forte, Gigi Syrup
Eczema	: Skinment, Ripanto, lobine, lobine Forte, Herbo-Sulph
Hair Tonic	: Olosyn
Pigmentation disorders	: lobine, lobine Forte
Ringworm	: Skinment
Soothing & Protective	: Ripanto, lobine, lobine Forte, Olosyn
Scabies	: Skinment, Ripanto

## RESPIRATORY SYSTEM

Adenoids	: lobine, lobine Forte, Hemoplex, Entrops
Allergic Rhinitis	: lobine, lobine Forte, Rubzon, Chesol
Antitussives	: Koflyn, Danginge, Meditab
Bronchial Asthma	: Desma, lobine, lobine Forte, Meditab, Koflyn Tabs & Syrup
Bronchitis	: lobine, lobine Forte, Meditab, Chesol, Rubzon, Desma
Epistaxis	: Chiniumco
Tonsillitis	: Decil, Entrops, Hemoplex, lobine, lobine Forte
Whooping cough	: Danginge, Amyglia

## GENITO-URINARY SYSTEM

Adaptogenic/ Male Menopause	: Albo Sang, Senzine, Nevoss, Livactin-G
Cystitis	: Turaico
Diuretics	: Turaico
Dysmenorrhea	: Auratinum, Brahamdine Tabs & Syrup, Chiniumco, Amyglia
Haematuria	: Chiniumco
Leucorrhoea	: Brahamdine Tabs & Syrup, Albo-Sang, Auratinum
Menopause	: Vitesson, Vitesson Forte, Albo-Sang, Albovit, Brahamdine Tabs & Syrup, Zaher-Co
Menorrhagia	: Chiniumco, Brahamdine Tabs & Syrup, Albo-Sang
Sexual Neurasthenia	: Senzine, Nevoss, Albo-Sang, Livactin-G
Urinary Calculus	: Turaico

## GENERAL

Antioxidant	: Livactin-G
Adjuvant (for better absorption)	: lobine, lobine Forte
Allergic disorders	: lobine, lobine Forte
Body / Head Massage	: Olosyn
Dental Care	: Albo-Sang, Tooth Powder, Entrops
Diabetes	: Mersina, Livactin-G, Albo-Sang Tabs
Scorpion sting	: Zaher-Co, Decil
Antiviral	: Fluzen

# ALLOPATHIC

## ALBOCAL

**Calcium supplement fortified with Magnesium, Zinc and Vitamin D<sub>3</sub>.**

### Composition:

	Each coated tablet contains
Calcium carbonate I.P.	1250 mg.
Magnesium hydroxide I.P.	240 mg.
Zinc sulphate Monohydrate U.S.P.	20.59 mg.
Vit D <sub>3</sub> (as stabilized)	250 i.u.

Calcium is essential for the functional integrity of the nervous system and muscular system, where it has a major influence on the integrity and excitability of these tissues. It is necessary for normal cardiac function and is one of the factors that operates in the mechanisms involved in the coagulation of blood.

### Indication:

Pregnancy, lactation, osteoporosis, menopause, growing children.

### Dosage:

1 tablet, 2 times a day.

### Pack:

Box of 3 blister strips of 10 tablets each.

## DECIL

**Analgesic and Antipyretic tablets.**

### Description:

Combination of two well known analgesics and antipyretics with caffeine.

### Composition:

	Each uncoated tablet contains
Acetylsalicylic Acid I.P.	225 mg.
Paracetamol I.P.	125 mg.
Caffeine I.P.	
Equivalent to Anhydrous Caffeine	30 mg.

### Pharmacology:

**Acetylsalicylic acid** is the most popular antipyretic and analgesic. In addition, it has powerful anti-inflammatory effect and is the drug of choice for rheumatic pains.

**Paracetamol** has a similar analgesic/ antipyretic action to acetylsalicylic acid.

**Caffeine** has a stimulant action on the C.N.S and brightens the mood. It is generally accepted that mixtures of analgesics give better result than higher doses of one drug alone, probably by giving less unwanted side effects for equivalent relief of pain. Combinations of analgesics, with each other and with caffeine are more effective than the ingredients given alone.

### Indications:

Headache including migrainous headache, toothache, dysmenorrhea, musculo-skeletal pain, rheumatic pain, neuralgia.

In all febrile conditions where it is desirable to lower the temperature, influenza, common cold, etc.

### Dosage:

Adults : 1 to 2 tablets, every 4 hours if necessary.

Special Precautions : Not to be used in children below 12 years of age except under Medical advice.

Not to be taken on an empty stomach.

Overdose may be injurious to liver.

### Pack:

Box of 10 strips of 10 tablets each.

HDPE jar of 500 tablets.

## FERIMINETS

**Carbonyl Iron, vitamins and zinc capsules.**

### Composition:

	Each hard gelatin capsule contains
Carbonyl iron equivalent to Elemental iron	100 mg.
Folic acid I.P.	1.5 mg.
Vit B <sub>12</sub> I.P.	15 mcg.
Vit C I.P.	75 mg.
Zinc sulphate U.S.P.	61.5 mg.
Equivalent to 22.5 mg of Elemental zinc	
Vitamin E	15 i.u.
Selenium	60 mcg.

Vitamins and minerals, referred to collectively as micronutrients, have important influences on the health of pregnant women and the growing fetus.

In pregnant women moderate to severe deficiencies of iron, zinc and folic acid have been shown to increase risk of low birth weight, pregnancy complications and birth defects.

Pre-conceptional multivitamin supplementation reduces the risk of serious birth defects, premature delivery and low birth weight by 50%.

Improves maternal health during pregnancy.

Carbonyl iron is an ideal therapeutic agent for the treatment of Anemia.

! **More than 98% pure** !

! **Effective and inexpensive** !

! **Tolerable side effects** !

Carbonyl iron has been shown to be well absorbed and utilized for hemoglobin synthesis, both in experimental animals and in humans.

The requirements for ionization and solubilization seem to account for the safety of carbonyl iron.

The slow rate of solubilization results in a more prolonged absorption, responsible for the low toxicity of carbonyl iron.

In addition, the rate of solubilization is restricted by the rate of gastric acid production.

Zinc is an integral component of many metalloenzymes in the body.

It is involved in the synthesis and stabilization of proteins, DNA, RNA and plays a structural role in ribosomes and membranes.

**Addition of zinc to iron increases hemoglobin levels as zinc affects Insulin like growth factor (IGF)-1 that plays a role in regulation of RBC production.**

The principal role of folate is to transfer one-carbon unit in a variety of enzymatic reactions that are related to the synthesis of DNA, RNA and protein.

### Indications:

\* Iron deficiency: For the prevention and treatment of iron deficiency anemia.

\* Iron supplement: As a dietary supplement for iron prophylaxis of iron, zinc and folic acid deficiencies during pregnancy and lactation.

**Adverse effects:**

- \* Nausea
- \* Vomiting
- \* Constipation
- \* Diarrhea
- \* Stools may appear darker in color

**Drug interactions:**

- \* Antacids, cimetidine: GI absorption of iron may be reduced.
- \* Chloramphenicol: Serum iron levels may be increased.
- \* Levodopa: Chelates with iron salts, decreasing levodopa absorption and serum levels.
- \* Levothyroxine: The efficacy of levothyroxine may be reduced, resulting in hypothyroidism.
- \* Methylodopa: Extent of methylodopa absorption may be reduced, resulting in decreased efficacy.
- \* Penicillamine: Marked reduction in GI absorption of penicillamine may occur.
- \* Quinolones: GI absorption of quinolones may be decreased.
- \* Tetracyclines: Concomitant use within 2 hours may decrease absorption and serum levels of tetracyclines.

**Dosage:**

Adults : 1 capsule daily or as directed by the Physician.

**Special Precautions:**

History of peptic ulcer, sever renal failure.  
Iron and tetracycline bind together leading to impairment of absorption.

**Pack:**

Box of 2 blister strips of 15 capsules each.

**FERROUS FUMARATE TABLETS IP**

**Safe, effective and the most convenient haematinic for iron deficiency anemia.**

**Composition:**

Ferrous Fumarate I.P.	Each uncoated tablet contains 0.2 gm.
-----------------------	---

**Description:**

**Ferrous Fumarate** is one of the most stable, least toxic and easily assimilable salts of iron. It is available in the form of tablets each containing 200 mg. of Ferrous Fumarate I.P. equivalent to about 65 mg. of elemental iron.

**Indications:**

For the routine treatment of iron deficiency anemias arising from the excessive loss of blood in chronic hemorrhages like piles, hookworm infestation, hematemesis and hemoptysis or deficient intake of iron in diet, for growing children and premature babies to put on weight, to maintain hemoglobin level in old age and convalescence. In all cases the primary cause of anemia should be corrected, otherwise it will reappear on the stoppage of the drug.

**Dosage:**

Adults : 1 to 3 tablets daily after food or as directed by the physician.  
Children : 1/2 to 1 tablet after food.

**Contraindications:**

Peptic ulcer, malabsorption syndrome and intolerance.

**Pack :**

HDPE jar of 500 tablets.

**HEALING DUST**

**Antiseptic dusting powder.**

**Description:**

An antiseptic dusting powder for wounds and ulcers.

**Composition:**

	Each 100g powder contains
Iodoform N.F.	2.29 gm.
Alum I.P. 1966.	2.29 gm.
Boric Acid I.P.	6.86 gm.
Turmeric I.P. 1966.	6.80 gm.

**Pharmacology:**

**Iodoform** and **Boric Acid** are well known local antiseptics.

**Alum** has a decongestant action.

**Turmeric** too possesses antiseptic and some local analgesic action.

Applied locally, **Iodoform** slowly breaks down and a continuous liberation of **Iodine** prevents the growth of micro-organisms.

The powder diminishes secretions and keeps the wound surface clean.

**Application:**

Can be freely applied to wounds and ulcers, and if required, covered with gauze and bandaged.

In chronic discharge of pus from the ear, it can be applied loosely and the ear plugged with cotton. The ear can be cleaned after one or two days. The process may be repeated twice. A third filling is rarely required.

**Storage:** Store in a cool dry place.

**Pack:**

Bottle of 10g powder.

Bottle of 110g powder.

**MAGNINE**

**Antacid and antispasmodic tablets.**

**Description:**

Combination of well known antacids with Belladonna for the treatment of peptic ulcers and hyperacidity.

**Composition:**

	Each uncoated chewable tablet contains
Magnesium Trisilicate I.P.	250 mg.
Dried Alum. Hydrox. Gel I.P.	125 mg.
Extract Belladonna Dry I.P.	5 mg.

**Pharmacology:**

Antacids are among the most widely used drugs. In patients with peptic ulcer the presence of acid in the stomach is in part responsible for the pain, which is a characteristic feature of the disease. This also interferes with the healing of these ulcers. If antacids are to be useful they should reduce gastric acidity and the action should spread over as long a period as possible. Both **Magnesium trisilicate** and **Aluminum hydroxide** have prolonged acid neutralising effect and are the two most satisfactory antacids.

The two salts are not absorbed and produce no systemic effect.

**Extract Belladonna** blocks the action of the vagus nerve, decreases the secretion of acid and relieves pain by relieving the spasm.

**Indications:**

Peptic Ulcer, Hyperacidity and Acid dyspepsia.

**Side effects:** Nil

**Dosage:**

Adults : 2 tablets chewed and swallowed 15 to 30 minutes before or after food . If pain occurs during the interval between meals, suck 1 or 2 tablets.

Children : 1 tablet.

**Pack:**

Box of 50 blister strips of 10 tablets each.

HDPE jar of 500 tablets.

**SKINMENT**

**Antifungal / Antibacterial skin ointment.**

**Description:**

A potent combination of well known drugs for antifungal, antibacterial and parasitic skin diseases, for local application.

**Composition:**

	Each 100g contains
Benzoic Acid I.P.	2 gm.
Salicylic Acid I.P.	4 gm.
Ichthammol I.P. 1966	8 gm.
Dithranol I.P.	0.22 gm.
Sublimed Sulphur I.P. 1966	2.29 gm.
Paraffin Base	q.s.

**Indications:**

**Benzoic acid, Salicylic acid** and **Dithranol** are highly effective in fungal infections of the skin, and are used in chronic dermatoses like psoriasis. **Ichthammol** has bacteriostatic properties and is used in chronic skin diseases as ointment.

**Sulphur** is a mild antiseptic and parasiticide and is widely employed in the form of lotion or ointment in scabies, ringworm and acne.

**Skinment is mainly used in ringworm, scabies, eczema and psoriasis.**

**Application:**

Rub gently over the affected part at night and wash in the morning. For delicate skin, it may be mixed with an equal part of any edible vegetable oil. Two applications may be necessary in hyper-keratotic forms of the foot and hand and covered with light dressing. Should not be applied near the eyes.

**Pack:** Tube of 15g.

## AYURVEDIC

### ALBO- SANG

Herbo mineral preparation with multiple therapeutic uses.

#### Description:

Combination of essential minerals with important Indian herbs used in ayurvedic medicine. Provides the essential ingredients necessary for cell function and is also useful for patients whose digestion is poor.

#### Composition:

	Each 100g powder contains	Each uncoated tablet contains
Sudhakalpa (Calcium Carbonate)	5.71 gm.	54.0 mg.
Sudhakalpa (Calcium dibasic phosphate)	3.43 gm.	36.0 mg.
Shankajiraka (Magnesium oxide)	1.14 gm.	3.6 mg.
Aswagandha (Withania somnifera)	8 gm.	55.0 mg.

#### Indications:

- \* **As a supplement** : For patients with poor quality diet and whose digestion is weak.
- \* **In general debility**: Patients with lack of mental and physical energy, senile debility, loss of memory and concentration, premature ageing due to disease or stress.
- \* **Infant feeding** : Given with fresh milk for infants who are not breast-fed or bottle-fed. It improves digestion, bowel habits, general health and helps weight gain.
- \* **Growing children** : Meets the increased demand for minerals, and other nutrients, corrects malnutrition, improves appetite, mental and physical energy and helps weight gain.
- \* **Nursing mothers** : Supplies the increased demands of calcium, phosphorous and other minerals during pregnancy and lactation. Abolishes the strain of breast feeding and enriches breast milk.
- \* **Mental workers** : To overcome physical and mental stress due to overwork and tension.
- \* **Elderly persons** : For health restoration in old age.

- \* **Illness and Convalescence** : Helps to raise the defense mechanism of the body, hastens quicker recovery by improving appetite and digestion.

- \* **Anemia** : As an adjunct in the treatment of anemia. Corrects general debility, improves appetite.

#### Dosage:

Albo-Sang powder is suitable for infants and children .

Adults may prefer sugar free tablets.

Can be taken with tea, coffee, milk, curds, porridge, fruit juice or any liquid food or diluted with water.

Infants : 1/4 teaspoonful, 2 times a day.

Children : 1/2 teaspoonful in milk or 1 to 2 tablets, 2 times a day.

Adults : 1 teaspoonful or 2 tablets, 2 times a day.

#### Pack:

Tins of 200g and 400g powder.

Bottles of 100 and 300 tablets.

Box of 10 blister strips of 10 tablets each.

### ALBOVIT POWDER

Complete supplement for women.

#### Description:

Combination of natural vital nutrients with Shatawari and Saffron for women of all ages.

#### Composition:

	Each 100g powder contains
Shatawari extract derived from Shatawari Root (Asparagus racemosus)	40 gm.
Badam Fruit (Prunus amygdalus)	10 gm.
Khajura Fruit (Phoenix dactylifera)	15 gm.
Kesar stigma (Crocus sativus)	25 gm.

#### Pharmacology:

First and unique preparation with high quality protein and adequate amount of vital nutrients. **Shatawari** is an antioxidant, digestive, immunomodulator, rejuvenant, antiabortifacient and antistress. It is rich



in natural nutrients. **Badam** is a nutritive, tonic, stimulant and demulcent. **Khajura** is a nutritive, tonic, demulcent, aphrodisiac and restorative. **Kesar** is an aphrodisiac, stimulant and stomachic.

**Indications:**

As a nutritional and restorative tonic for complete care for persons of all ages. It has great antistress, anti-oxidant and immunomodulator properties.

**Dosage:**

Adult: 2 to 3 teaspoonful of powder to be mixed in a cup of milk or water and taken 2 times a day.  
Children: 1 to 2 teaspoonfuls.

**Pack:** Tin of 200g powder.

## BIO-SAL

**For ailments of infants.**

**Description:**

A dependable herbal remedy for digestive troubles of infants and young children.

BIO-SAL is free from alcohol, chloroform, narcotics and sedatives.

**Composition:**

Each 5 ml (one teaspoonful approx) of syrup contains :

Dill Oil 0.0018 ml plus the water soluble extracts derived from 5 mg. of the following:

- Pippli (Piper longum)
- Ind. Valerian (Nardostachys jatamansi)
- Balaharde (Terminalia chebula)
- Sunth (Zingiber officinale)
- Bach (Acorus calamus)
- Revandchini (Rheum webbianum)
- Jethimadh (Glycyrrhiza glabra)
- Ajwan (Ptychotis ajowan)
- Talispatra (Abies webbiana)

**Indications:**

Stomach ache, flatulence, sleeplessness, acidity, disorders associated with teething etc. It gives immediate relief in colic, prevents diarrhea and gives tone to the digestive system.

**Dosage:** (Usually 2 to 3 times a day)

New born infants : 1/4 teaspoon  
1 month to 6 months : 1/2 teaspoon  
6 months to 1 year : 1 teaspoonful  
Above 2 years : 1 to 2 teaspoonsful

**Pack:**

Bottle of 100ml syrup.

## BRAHAMDINE

**Uterine Tonic Tablets.**

**Description:**

A combination of ayurvedic drugs well known for centuries for their tonic action on the uterus.

**Composition:**

	Each uncoated tablet contains
Balatagra (Valeriana wallichii)	28 mg.
Asgandh (Withania somnifera)	28 mg.
Lodhra (Symplocos racemosa)	52 mg.
Ashok (Saraca indica)	52 mg.
Swarnakshiri (Argemone mexicana)	2 mg.
Shatavari (Asparagus racemosus)	40 mg.
Shirpornajaya (Viburnum foetidum)	26 mg.
Olotkambol (Abroma augusta)	40 mg.
Jethimadh (Glycyrrhiza glabra)	14 mg.

**Pharmacology:**

**Lodhra** relaxes uterine tissues, acts as an astringent tonic in dysmenorrhea, menorrhagia, leucorrhoea. It also normalises irregular periods. **Ashok** is an astringent, uterine sedative and a regulator of menstruation. The two together are highly effective in leucorrhoea and disorders of menstruation.

**Asgandh, Balatagra and Swarnakshiri** relieve anxiety and gives a sense of well being. **Asgandh** is also used in general debility, **Balatagra** is a valuable nerve tonic, and an antispasmodic, and its action is enhanced by **Swarnakshiri**. **Shatavari** cures barrenness in women and removes disorders of female genitals. **Shirpornajaya** is used in uterine diseases and dysmenorrhoea. **Olotkambol** is useful in varieties of dysmenorrhoea. **Jethimadh** is a cure for all sorts of leucorrhoea and other uterine disorders.

**Indications:**

Excessive bleeding, leucorrhoea, irregular periods.

**NOTE:** If bleeding is profuse, it can be combined with CHINIUMCO.

**Dosage:** 1 to 2 tablets, early in the morning and at bedtime.

**Side effects:** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.

Bottle of 100 tablets.

**BRAHAMDINE SYRUP****Restorative Uterine Tonic.****Description:**

A combination of herbs known for their tonic action on the uterus for centuries.

**Composition:**

Each 10 ml of  
syrup contains

Balatagra (Valeriana wallichii)	115 mg.
Asgandh (Withania somnifera)	120 mg.
Lodhra (Symplocos racemosa)	140 mg.
Ashok (Saraca indica)	225 mg.
Shatavari (Asparagus racemosus)	155 mg.
Shirpornaajaya (Viburnum foetidum)	90 mg.
Olotkambol (Abroma augusta)	80 mg.
Jethimadh (Glycyrrhiza glabra)	50 mg.
Jatamansi (Nardostachy jatamansi)	45 mg.
Motha (Cyperus rotandus)	75 mg.
Dalchini (Cinnamomum zeylanicum)	20 mg.
Sunth (Zingiber officinale)	20 mg.
Darhald (Berberis aristata)	65 mg.

**Pharmacology:**

**Ashok** is an astringent, uterine sedative and a regulator of menstruation.

**Lodhra** relaxes uterine tissues, acts as an astringent tonic in dysmenorrhea, menorrhagia, leucorrhoea. It also normalises irregular periods. The two together are highly effective in leucorrhoea and disorders of menstruation.

**Asgandh** relieves anxiety, stress and gives a sense of well being. It is also used in general debility. It is also antispasmodic, anti-inflammatory,

adaptogenic and antioxidant.

**Balatagra** is antispasmodic, a tranquillizer and nerve tonic.

**Shatavari** is antispasmodic, nutritious, adaptogenic, and an antioxidant. It cures barrenness in women and removes disorders of female genitals.

**Shirpornaajaya** is used in uterine diseases and dysmenorrhea.

**Olotkambol** is useful in varieties of dysmenorrhea.

**Jethimadh** is a cure for all sorts of leucorrhoea and other uterine disorders.

**Motha** is anti-inflammatory, useful in uterine spasmodic pain.

**Darhald** is antibacterial, anti-inflammatory and useful in menorrhagia.

**Indications:**

Excessive bleeding, leucorrhoea, dysmenorrhea, irregular periods. It is also useful in pre and post menstrual conditions like anemia, spasmodic pain, mood disturbances, anxiety etc.

**Dosage:** 2 to 3 teaspoonsful, 2 times a day.

**Side effects:** Nil

**Pack:**

Bottle of 200ml syrup.

**CHESOL****Embrocation for external use.****Description:**

An embrocation for muscular aches and pains, chest colds and bronchitis.

**Composition:**

Each 100g  
oil contains

Gumchi (Abrus precatorious)	7.5 gm.
Chillie Powder (Capsicum annum)	6 gm.
Elva (Aloe barbadensis)	5 gm.
Mustard oil (Brassica campestris)	4.75 gm.
Bach (Acorus calamus)	5 gm.
Sunth (Zingiber officinale)	3 gm.
Jamal gota (Croton tiglium)	3 gm.
Khurasani ajwan (Hyoscyamus niger)	0.65 gm.
Ajwan oil (Ptychotis ajowan)	1.88 gm.
Clove oil (Myrtus caryophyllus)	0.63 gm.
Peppermint oil	1.25 gm.
Vegetable oil	q.s.

The extract of these indigenous herbs are highly effective in rheumatism, stiff joints, bronchitis and chest colds with cough and headache. Also effective in wasting of muscles in paresis.

**Pharmacology:**

**Gumchi** is used in inflammation and pains. **Bach** is used in chronic rheumatism and as a counter irritant. **Sunth** is used as local stimulant and rubefacient. **Jamal gota** is used in bronchitis, rheumatism and painful affections of joints and limbs. **Ajwan** is used in inflammations. **Capsicum** is a powerful local irritant and rubefacient. **Elva** is applied in painful inflammations and ulcers. **Clove** oil is an antiseptic, local irritant and rubefacient.

**Application:**

The oil should be applied gently at the site of pain and stiffness. In bronchitis, apply to the chest and rub gently. For delicate skin of babies the strength of CHESOL may be reduced by adding an edible vegetable oil after 1st or 2nd application.

**Pack:**

Bottle of 50ml oil.  
Bottle of 100ml oil.

**CHINIUMCO**

**Hemostatic tablets.**

**Description:**

A combination of ayurvedic drugs for checking profuse bleeding.

**Composition:**

	Each uncoated tablet contains
Revandchini (Rheum webbianum)	44 mg.
Kutki (Picrorhiza kurroa)	24 mg.
Mainphal (Quercus infectoria)	3 mg.
Dalchini (Cinnamomum zeylanicum)	12 mg.
Hridpatri (Digitalis purpurea)	15 mg.
Phitkari	3 mg.

**Pharmacology:**

**Dalchini** apart from being a carminative, astringent, and stomachic, is a good hemostat. It is a stimulant to the uterine muscle, and is used in prolonged labour due to defective uterine contraction. **Mainphal** is an aperient and embolic and a bitter tonic. **Hridpatri** and **Revandchini**

are good hemostats. **Phitkari** is a hemostat and useful in bleeding, piles and leucorrhoea. **Kutki** is useful in amenorrhoea and is a cathartic emmenagogue.

**Indications:**

Profuse bleeding whether in uterine affections or in piles or through the nose or mouth and dysentery. Painful complaints of the uterus, fallopian tubes, ovaries in females referred to lower abdomen.

**Dosage:**

Children : 1/4 to 1/2 tablet, 3 times a day.  
Adults : 1 to 2 tablets, 3 times a day.

**Side effects:** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.  
Bottle of 100 tablets.

**DANGINE**

**Antispasmodic tablets for control of cough.**

**Description:**

Valuable herbs for spasms of cough, specially whooping cough, and spasmodic cough of children.

**Composition:**

	Each uncoated tablet contains
Dudhi (Euphorbia pilulifera)	49 mg.
Nala (Lobelia nicotianaefolia)	30 mg.
Vasaka (Adhatoda vasica)	30 mg.
Phitkari	14 mg.
Huma (Ephedra gerardiana)	36 mg.
Jethimadh (Glycyrrhiza glabra)	7 mg.
Asgandh (Withania somnifera)	3 mg.
Chotachand (Rauwolfia serpentina)	2 mg.
Balatagra (Valeriana wallichii)	2 mg.
Haldi (Curcuma longa)	0.31 mg.
Sunth (Zingiber officinale)	0.08 mg.
Ajwan (Ptychotis ajowan)	0.11 mg.
Aunla (Emblica officinalis)	0.04 mg.
Pippli (Piper longum)	0.04 mg.
Jeera (Cuminum cyminum)	0.04 mg.
Sounf (Foeniculum vulgare)	0.24 mg.

### Pharmacology:

**Phitkari** is an astringent, antispasmodic, antiseptic and has a soothing effect on the respiratory tract. **Vasaka** is a very popular expectorant used in acute and chronic bronchitis. It also liquefies the sputum. **Nala** is an antispasmodic, expectorant, mainly used to reduce bronchospasm during an attack. **Dudhi** has depressant action on the cough centre, but relaxes bronchi and is particularly effective in children's cough. **Huma** controls the asthmatic paroxysms. **Jethimadh** is used as mild expectorant and as demulcent in inflammatory affections and irritable conditions of the bronchial tubes. **Asgandh** is a tonic, astringent and nervine sedative. **Chotachand** and **Balatagra** are used as mild sedatives.

### Indications:

Harassing spasmodic coughs specially whooping cough.

### Dosage:

Children : 1/4 to 1/2 tablet, every 4 hours.

For smaller children the tablets are crushed and given with honey.

In severe cases, the dose is repeated every 2 hours.

To raise general resistance and to bring about quick recovery, it is advisable to give ALBO-SANG with milk 2 times a day.

**Side effects:** Nil

### Pack:

Box of 10 blister strips of 10 tablets each.

## DESMA

Anti asthmatic tablets.

### Description:

A combination of ayurvedic drugs for relief in asthma. Also used as an expectorant in cough.

### Composition:

	Each uncoated tablet contains
Vasaka ( <i>Adhatoda vasica</i> )	40 mg.
Huma ( <i>Ephedra gerardiana</i> )	130 mg.
Dudhi ( <i>Euphorbia pilulifera</i> )	40 mg.
Nala Extract ( <i>Lobelia nicotianaefolia</i> )	4 mg.
Senega Extract ( <i>Polygala chinensis</i> )	10 mg.
Kakarasinghi ( <i>Rhus succedanea</i> )	49 mg.
Kantakari ( <i>Solanum jacquinii</i> )	49 mg.
Balatagra ( <i>Valeriana wallichii</i> )	39 mg.

### Pharmacology:

**Huma** relaxes the bronchial muscle, and is used in the prevention or to cut short an attack of bronchial asthma. **Nala** is an antispasmodic and an expectorant mainly used to reduce bronchospasm during an attack. **Dudhi** has a depressant action on the cough centre, but relaxes the bronchi, particularly effective in children's cough. **Senega** is a well known expectorant and mainly used to stimulate the cough centre so that the phlegm can be easily coughed out. **Balatagra** is a stimulant antispasmodic and hypnotic. **Kakarasinghi** is useful in cough, phthisis, asthma and conditions of respiratory tract. **Kantakari** is useful in cough and asthma.

### Indications:

- \* To prevent an attack of asthma.
- \* Treatment of asthma, chronic cough, cough following infection of the respiratory track, common cold, bronchitis, etc.

### Dosage:

Adults : 1 to 2 tablets, 3 to 4 times a day.

Children : 1/2 to 1 tablet, every 4 hours.

**Side effects:** Nil

### Pack:

Box of 10 blister strips of 10 tablets each.

Bottle of 100 tablets.

## DIASYN

Antidiarrhoeal tablets & Pediatric Syrup.

### Description:

A soothing combination of drugs for the treatment of diarrhea and dysentery.

### Composition:

	Each tablet contains	Each 5 ml of syrup contains
Balharde ( <i>Terminalia chebula</i> )	32 mg.	28 mg.
Bael ( <i>Aegle marmelos</i> )	87 mg.	14 mg.
Kurchi ( <i>Holarrhena antidysenterica</i> )	66 mg.	56 mg.
Darhald ( <i>Berberis aristata</i> )	88.5 mg.	88.6 mg.
Jeera ( <i>Cuminum Cyminum</i> )	7.7 mg.	
Dhai ( <i>Woodfordia fruticosa</i> )	9.7 mg.	
Ajwan ( <i>Ptychotis ajowan</i> )	9.7 mg.	
Alstonia ( <i>Alstonia scholaris</i> )	7.7 mg.	

### Pharmacology:

**Kurchi** and **Bael** are two well known drugs used for the treatment of diarrhea and dysentery, particularly for acute and chronic amoebic dysentery. Kurchi has been found to be very effective by Indian and Western authorities. **Darhald** has recently been found to be very effective in bacterial diarrheas including bacillary dysentery and gastroenteritis. It is believed to be effective against both trophozoite and cystic forms of Entamoeba histolytica. **Dhai** is used in dysentery, diarrhea and bowel complaints. **Balaharde** is highly useful in chronic dysentery and diarrhea. **Alstonia** is useful in chronic dysentery and diarrhea. **Jeera** is a carminative and cooling. **Ajwan** is useful in diarrhea and spasmodic affections of the bowels. A judicious combination of these drugs is not only effective against diarrhea and dysentery, but has a soothing effect on intestinal mucosa. DIASYN is safe and free from toxicity.

### Indications:

Amoebic and bacillary dysentery, diarrhea, mucous colitis, intestinal fermentation and infantile diarrhea.

### Dosage:

Adults: 1 to 2 tablets, every 4 hours.

Children: 1/2 to 1 tablet, every 4 hours.

### Pediatric syrup

Children between 5 weeks to 6 months: 1/2 teaspoon, 3 times a day.

Children between 6 months to 6 years: 1/2 teaspoon, every 6 hours.

Children above 6 years: 1 teaspoonful, 3 times a day.

### Pack:

Box of 10 strips of 10 tablets each.

Bottle of 300 tablets.

Bottle of 60ml syrup.

## ENTROPS

**Local antiseptic for ear, nose, throat. For external use only.**

### Description:

Effective bactericidal and local antiseptic with analgesic action. For local application in ear, nose, throat and gums.

**NOTE: NOT TO BE USED FOR THE EYES.**

### Composition:

	Each 100g oil contains
Eucalyptus Oil	1.14 gm.
Camphor	0.23 gm.
Vegetable oil base	q.s.
Preservative: Phenol	

### Indications:

Infections of the mouth and throat including tonsillitis and pharyngitis. Infections of the gums and buccal mucous membrane in dental caries. As an otic and nasal drop in the ear or nose. As an application in infected wounds and abscess.

### Application:

Every 3 hours by a pledget of cotton wool.

As a ear or nose drops: 1-2 drops every 2-3 hours.

As a dressing: Cotton packs soaked may be applied every 4 hours.

Store in a cool dry place, away from light. Shake well before use.

### Pack:

Bottle of 50ml oil.

Bottle of 100ml oil.

## FLUZEN

**Effective and safe antiviral tablets.**

### Description:

Combination of very effective and safe ayurvedic herbs to combat diseases due to viral infections.

### Composition:

	Each tablet contains
Tulsi (Ocimum sanctum)	150 mg.
Kalmegh Extract (Andrographis paniculata)	60 mg.
Kutki (Picrorhiza kurroa)	50 mg.
Neem (Melia azadirachta)	80 mg.
Guduchi (Tinospora cordifolia)	40 mg.
Haridra Extract (Curcuma longa)	30 mg.
Lasun (Allium sativum)	20 mg.
Sunth (Zingiber officinale)	10 mg.
Pippli (Piper longum)	10 mg.
Kalimirchi (Piper nigrum)	10 mg.

### Pharmacology:

**Tulsi** is widely used as an antibiotic, antiviral, antipyretic, antioxidant and an immunomodulator. **Kalmegh** is used in ayurveda for its antimicrobial, antibiotic, antipyretic, analgesic and antioxidant properties.

**Kutki** is used as an antiviral, antipyretic, immunomodulator, antimicrobial and antioxidant. **Neem** is useful as an antibacterial, antimicrobial, analgesic, antiviral and antimalarial. **Guduchi** is effective as an antibacterial, immunomodulator, antimicrobial, antioxidant and analgesic.

**Haridra** possesses antibacterial, antihistaminic and analgesic

properties. **Lasun** is a very effective antibacterial, antiseptic, antibiotic. **Sunth** is a good antipyretic, antibacterial, analgesic and antioxidant. **Pippli** is an antibacterial, hepatoprotective and increases bioavailability. **Kalimirchi** is traditionally used as an analgesic, antipyretic, antioxidant and an antimicrobial.

**Indications:**

To prevent viral flu, in fevers associated with headache, body ache and severe muscular pain, cough and cold.

**Dosage:**

Adults : 1 to 2 tablets, 2 times a day.

Children : 1/2 to 1 tablet, 2 times a day, according to age.

**Side effects:** Nil

**Pack:**

Bottle of 30 tablets.

**GASTROMONE**

**Tablets for treatment of flatulence and nervous dyspepsia.**

**Description:**

Herbal drugs for gastrointestinal disorders.

**Composition:**

Each uncoated tablet contains

Aunla (Emblca officinalis)	25 mg.
Sounf (Foeniculum vulgare)	31 mg.
Revandchini (Rheum webbianum)	20 mg.
Balaharde (Terminalia chebula)	15 mg.
Balatagra (Valeriana wallichii)	24 mg.
Chitrak (Plumbago zeylanica)	20 mg.
Talispatra (Abies webbiana)	8 mg.
Papai (Carica papaya)	7 mg.
Kutki (Picrorhiza kurroa)	5 mg.
Junglee Elaichi (Amomum subulatum)	2 mg.
Chirata (Swertia chirata)	5 mg.
Dhania (Coriandrum sativum)	2 mg.
Bhangra (Eclipta alba)	20 mg.
Haldi (Curcuma longa)	22 mg.
Sunth (Zingiber officinale)	5 mg.
Ajwan (Ptychotis ajowan)	8 mg.
Pippli (Piper longum)	2.5 mg.
Jeera (Cuminum cyminum)	2.5 mg.
Asgandh (Withania somnifera)	2.5 mg.

**Pharmacology:**

In small doses **Revandchini** and **Balaharde** act as an astringent, bitters and are useful in diarrhea. **Sounf** relieves flatulence. **Aunla** is often used for regulating bowel movement. **Chitrak** is useful in dyspepsia, piles and stomach troubles. **Talispatra** is a carminative, stomachic and an astringent. **Papai** is useful in deficiency of gastric juices in dyspepsia and intestinal irritation. **Kutki** is used in acidity, bilious dyspepsia, indigestion and loss of appetite. **Balatagra** is a stomachic. **Haldi** is an aromatic, carminative and anthelmintic. **Asgandh** is a tonic. **Junglee Elaichi, Chirata, Dhania, Bhangra, Ajwan, Pippli, Sunth** and **Jeera** are very good digestives, carminatives and stomachics.

**Indications:**

Weak digestion, flatulence, nervous dyspepsia. Disordered functioning of liver. Its biphasic action is useful in both hyperacidity and hypoacidity.

**Dosage:**

Adults: 1 to 2 tablets, 10 to 20 minutes before or immediately after meals.

Children: 1/4 to 1/2 tablet before or immediately after meals.

**Side effects:** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.

Bottle of 100 tablets.

**GASTROMONE FORTE**

**Gastromone is also available in fortified form.**

**Composition:**

Each tablet contains

Aunla (Emblca officinalis)	50 mg.
Sounf (Foeniculum vulgare)	62 mg.
Revandchini (Rheum webbianum)	40 mg.
Balaharde (Terminalia chebula)	30 mg.
Balatagra (Valeriana wallichii)	48 mg.
Chitrak (Plumbago zeylanica)	40 mg.
Talispatra (Abies webbiana)	16 mg.
Papai (Carica papaya)	14 mg.
Kutki (Picrorhiza kurroa)	10 mg.
Junglee Elaichi (Amomum subulatum)	4 mg.
Chirata (Swertia chirata)	10 mg.
Dhania (Coriandrum sativum)	4 mg.
Bhangra (Eclipta alba)	40 mg.
Haldi (Curcuma longa)	44 mg.

Sunth (Zingiber officinale)	10 mg.
Ajwan (Ptychotis ajowan)	16 mg.
Pippli (Piper longum)	10 mg.
Jeera (Cuminum cyminum)	10 mg.
Asgandh (Withania somnifera)	5 mg.
Kalimirchi (Piper nigrum)	10 mg.

#### Indications:

Weak digestion, flatulence, nervous dyspepsia. Disordered functioning of liver. Its biphasic action is useful in both hyperacidity and hypoacidity.

#### Dosage:

Adults: 1 to 2 tablets, 10 to 20 minutes before or immediately after meals.  
Children: 1/4 to 1/2 tablet before or immediately after meals.

**Side effects:** Nil

#### Pack:

HDPE jar of 60 tablets.

## GIGI SYRUP

**For the treatment of acne and pimples.**

#### Description:

Holistic approach for the management of various skin disorders.

#### Composition:

	Each 5ml of syrup contains
Ananthmool (Hemidesmus indicus)	210 mg.
Punarnava (Boehraavia diffusa)	150 mg.
Haldi (Curcuma longa)	40 mg.
Aunla (Emblica officinalis)	20 mg.
Behara (Terminalia bellerica)	20 mg.
Halda (Terminalia chebula)	20 mg.
Sharapunka (Tephrosia purpurea)	30 mg.
Kalmegh (Andrographis paniculata)	50 mg.
Bhangra (Eclipta alba)	30 mg.
Elva (Aloe indica)	60 mg.
Neem (Azadirachta indica)	70 mg.
Guduchi (Tinospora cordifolia)	90 mg.
Gulab (Rosa damascena)	50 mg.

#### Pharmacology:

**Ananthmool** is a potent diuretic, antioxidant, anti-inflammatory, liver tonic, immunomodulator and antimicrobial. **Punarnava** is a very effective diuretic, adaptogen, antistress, anti-inflammatory, liver tonic, laxative, blood purifier, antibacterial and immunomodulator. **Haldi** possesses antimicrobial, anti-inflammatory, antifungal, antioxidant, antiallergic action and is useful

in discolouration of skin. **Triphala** is an effective bowel and blood cleanser, improves skin tone and colour, antistress and antioxidant. **Sharapunka** is useful as an antiallergic, antibacterial, anti-inflammatory, immunomodulator, antioxidant, thermogenic, laxative, liver tonic and in skin care. **Bhangra** is an effective antiviral, antibacterial, hepatoprotective and antioxidant. **Elva** has significant anthelmintic, laxative, liver tonic, anti-inflammatory, antibacterial and immunomodulatory properties.

**Kalmegh** dispels heat and removes toxins, it is also an antimicrobial, anti-inflammatory, antihelmintic, and useful in liver diseases.

**Neem** is useful as antibacterial, antifungal, antiviral, in cutaneous diseases and anti-inflammatory. **Gulab** is an antioxidant, cooling, antimicrobial and excellent blood purifier. **Guduchi** is effective antibacterial, antimicrobial, anti-inflammatory, antiallergic, thermogenic, antistress, antioxidant and immunomodulator.

#### Indications:

Bacterial infections of skin, infective and allergic dermatitis, scabies, ringworm, acne, pimples and other skin disorders.

#### Dosage:

Adults : 2 teaspoonsful, 2 times a day.  
Children : 1 teaspoonful, 2 times a day.

#### Pack:

Bottle of 100ml syrup.

## GRANDI- CO

**Cardiac tonic tablets.**

#### Description:

Combination of ayurvedic drugs well known for their stimulant action on the heart and diuretic action.

#### Composition:

	Each uncoated tablet contains
Arjuna (Terminalia arjuna)	103 mg.
Punarnava (Boerhaavia diffusa)	120 mg.
Asgandh (Withania somnifera)	87 mg.
Khurasani ajwan (Hyoscyamus niger)	0.66 mg.
Hridpatri (Digitalis purpurea)	48.3 mg.
Sunth (Zingiber officinale)	15.3 mg.

#### Pharmacology:

**Arjuna**, **Asgandh** and **Punarnava** have tonic action on the heart and are useful diuretics. **Khurasani** has a mild sedative action, but it stimulates the heart. **Hridpatri** is used as a cardiac tonic. **Sunth** is a carminative and a stimulant.

### Indications:

As a cardiac tonic to relieve palpitation and breathlessness. Free from cumulative effect or narcotic action.

Useful in dropsy, as it is a good diuretic and can be used in organic heart disease, renal affections etc.

### Dosage:

Adults : 1 to 2 tablets, 3 times a day. Can be given at more frequent intervals for palpitation or cardiac asthma.

**Side effects:** Nil

**Pack:** Bottle of 100 tablets.

## HEMOPLEX

**Anti- Infective tablets.**

### Description:

Tablets containing ayurvedic drugs for prophylaxis or treatment of infective conditions.

### Composition:

	Each uncoated tablet contains
Chirata (Swertia chirata)	40 mg.
Asgandh (Withania somnifera)	40 mg.
Swarnakshiri (Argemone mexicana)	28 mg.
Akada (Calotropis gigantea)	32 mg.
Anantamool (Hemidesmus indicus)	60 mg.
Gandhak	2 mg.

### Pharmacology:

**Chirata** is a stomachic and febrifuge. **Anantamool** is used as a blood purifier. **Asgandh** is a tonic and alterative. **Swarnakshiri**, **Akada** and **Gandhak** are used in chronic skin diseases.

A combination of Indian herbal drugs recommended in inflammatory and septic conditions. Particularly effective in persistent chronic cases, specially chronic sepsis.

### Indications:

Boils, abscess, ulcers, wounds, chronic bronchitis, chronic tonsillitis and septic fevers.

### Dosage:

Adults : 1 to 2 tablets, 3 times a day.

Children (above 5 years): 1/4 to 1/2 Tablet, 3 times a day.

Higher dosage may be given more frequently in urgent cases, the dosage reduced and interval between doses increased as the patient improves.

**Side effects:** Nil

**Pack:** Bottle of 100 tablets.

## HERBITARS

**Tablets and Pediatric syrup for treatment of liver disorders.**

### Description:

Combination of ayurvedic drugs consisting of bitter and other active principles for loss of appetite, sluggish liver, biliousness and constipation.

### Composition:

	Each uncoated tablet contains	Each 5ml of syrup contains
Manjista (Rubia cordifolia)	56 mg.	12 mg.
Sounf (Foeniculum vulgare)	31 mg.	4 mg.
Chirata (Swertia chirata)	79 mg.	14 mg.
Bhangra (Eclipta alba)	34 mg.	8 mg.
Senna Extract (Cassia angustifolia)	17 mg.	19 mg.
Nagakesar (Mesua ferrea)	9 mg.	
Kaiphal (Myrica nagi)	5 mg.	
Balaharde (Terminalia chebula)	7 mg.	
Dhania (Coriandrum sativum)	18 mg.	
Guggul (Balsamodendron mukul)	17 mg.	
Haldi (Curcuma longa)	17 mg.	
Sunth (Zingiber officinale)	4 mg.	
Ajwan (Ptychotis ajowan)	6 mg.	
Aunla (Emblica officinalis)	2 mg.	
Pippli (Piper longum)	2 mg.	
Jeera (Cuminum cyminum)	2 mg.	

### Pharmacology:

**Chirata** and **Manjista** improves appetite and rids the body of toxic substances. **Senna** and **Sounf** have cholagogue action and improves the function of the liver. **Bhangra** is known for its therapeutic action in enlargement of liver and spleen. It is used in catarrhal jaundice for maintaining the integrity and normal function of liver cells. It has also been used in cirrhosis of the liver. **Nagakesar** is used as an astringent and stomachic. **Kaiphal** is an aromatic and astringent. **Balaharde** is used in flatulence, colic and enlarged spleen and liver. **Dhania** is an aromatic, stimulant, carminative and stomachic. **Guggul** is used as intestinal disinfectant and in chronic catarrh of the bowels and as a carminative. **Haldi**, **Sunth**, **Ajwan**, **Aunla**, **Pippli** and **Jeera** are used as aromatics, carminatives, stimulants and as digestives.

### Indications:

Hepatic disorders, indigestion, flatulent dyspepsia, loss of appetite, constipation, catarrhal jaundice, disorders of bile flow, early cirrhosis of liver. Hepatic damage due to antibiotics, oral contraceptives or other drugs.



**Dosage:**

A 3 week course of treatment is suggested as follows..

Adults :

1st week: 2 to 3 tablets before meals.

2nd and 3rd week: 1 tablet before principal meals 2 to 3 times a day.

Children : Tablets : Half the adult dose.

Syrup : 1 to 2 teaspoonsful 2 to 3 times a day.

HERBITARS can be taken 2 to 3 times a day as long as required.

Adequate water should be taken. In the treatment of jaundice it is best given with KYNOTOMINE. For dyspepsia it is best given with MAGNINE.

It can also be given with VITESSON for biliousness, nausea, vomiting.

**Side effects: Nil****Pack:**

Box of 10 blister strips of 10 tablets each.

Bottle of 250 tablets.

Bottle of 100ml syrup.

**HERBITARS FORTE**

Herbitars is also available in fortified form.

**Description:**

Combination of ayurvedic drugs consisting of bitter and other active principles for loss of appetite, sluggish liver, biliousness & constipation.

**Composition:**

	Each tablet contains
Manjista (Rubia cordifolia)	90 mg.
Sounf (Foeniculum vulgare)	50 mg.
Chirata (Swertia chirata)	130 mg.
Bhangra (Eclipta alba)	55 mg.
Senna Extract (Cassia angustifolia)	30 mg.
Nagakesar (Mesua ferrea)	14 mg.
Kaiphal (Myrica nagi)	8 mg.
Balaharde (Terminalia chebula)	11 mg.
Dhania (Coriandrum sativum)	28 mg.
Guggul (Balsamodendron mukul)	26 mg.
Haldi (Curcuma longa)	26 mg.
Sunth (Zingiber officinale)	6 mg.
Ajwan (Ptychotis ajowan)	9 mg.
Aunla (Emblica officinalis)	3 mg.
Pippli (Piper longum)	3 mg.
Jeera (Cuminum cyminum)	3 mg.
Kalmegh Extract (Andrographis paniculata)	50 mg.

**Indications:**

Hepatic disorders, indigestion, flatulent dyspepsia, loss of appetite, constipation, catarrhal jaundice, disorders of bile flow, early cirrhosis of liver. Hepatic damage due to antibiotics, oral contraceptives or other drugs.

**Dosage:**

A 3 week course of treatment is suggested as follows..

Adults :

1st week: 1 to 2 tablets before meals.

2nd and 3rd week: 1 tablet before principal meals 2 to 3 times a day.

**Side effects: Nil****Pack :**

HDPE jar of 60 tablets.

**HERBO- SULPH**

Internal antiseptic tablets.

**Description:**

Herbal drugs which act as internal antiseptics and help in chronic eczema and ulcers of the skin.

**Composition:**

	Each uncoated tablet contains
Haldi (Curcuma longa)	32 mg.
Gandhak	22 mg.
Akda (Calotropis gigantea)	40 mg.
Halda (Terminalia chebula)	80 mg.
Chirata (Swertia chirata)	21.2 mg.
Balaharde (Terminalia chebula)	64.3 mg.

**Pharmacology:**

**Halda** and **Balaharde** are astringents, tonics, blood purifiers and also used in urinary diseases. **Chirata** is a tonic, stomachic and febrifuge.

**Haldi** is used both internally and externally in skin diseases. **Akda** is very useful in various kinds of skin diseases. **Gandhak** is used in chronic skin diseases.

**Dosage:**

Adults : 1 to 2 tablets, 3 times a day.

HERBO-SULPH tablets can be crushed to powder and mixed with 5 parts of petroleum jelly or RIPANTO and applied locally to the affected part after cleaning with warm water and drying with soft cloth.

**Side effects:** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.  
Bottle of 300 tablets.

## IOBINE

**Tablets for treatment of common cold and allergies.**

**Description:**

Combination of ayurvedic drugs for fortifying the body against frequent attacks of common cold. Also useful in tonsillitis, skin and other allergies.

**Composition:**

	Each tablet contains
Brahmi (Hydrocotyle asiatica)	44 mg.
Chirata (Swertia chirata)	44 mg.
Anantamool (Hemidesmus indicus)	155 mg.
Gandhak	8 mg.
Panvar (Lawsonia alba)	11 mg.
Neem (Melia azadirachta)	22 mg.
Akda (Calotropis gigantea)	62 mg.

**Pharmacology:**

**Panvar** is an astringent and is used in obstinate skin diseases.

**Akda** is an antispasmodic expectorant and tonic.

**Neem** is an anthelmintic, antiseptic, astringent and tonic.

**Chirata** is a tonic, stomachic and febrifuge.

**Gandhak** is a stimulant to the skin and bronchial mucous membranes.

**Brahmi** is useful in skin diseases, ulcerations and as a tonic.

**Anantamool** is an alterative tonic and is used in skin diseases, ulcerations and as an antioxidant.

**Indications:**

Frequent attacks of the common cold. Also in tonsillitis and skin affections. In general debility following chronic illness, IOBINE may be combined with ALBO-SANG.

**Dosage:**

Adults : 1 tablet, 3 times a day.

Children : ½ tablet, 3 times a day.

**Side effects:** Nil

**Pack:**

Box of 10 strips of 10 tablets each.  
Bottle of 300 tablets.

## IOBINE FORTE

**lobine is also available in fortified form.**

**Description:**

Combination of ayurvedic drugs for fortifying the body against frequent attacks of common cold. Also useful in tonsillitis, skin and other allergies.

**Composition:**

	Each tablet contains
Brahmi (Hydrocotyle asiatica)	66 mg.
Chirata (Swertia chirata)	66 mg.
Anantamool (Hemidesmus indicus)	230 mg.
Gandhak	10 mg.
Panvar (Lawsonia alba)	17 mg.
Neem (Melia azadirachta)	33 mg.
Akda (Calotropis gigantea)	70 mg.
Haldi Extract (Curcuma Longa)	40 mg.

**Indications:**

Frequent attacks of the common cold. Also in tonsillitis and skin affections. In general debility following chronic illness, IOBINE may be combined with ALBO-SANG.

**Dose:**

Adults : 1 tablet, 3 times a day.

Children : 1 tablet, once a day.

**Side effects:** Nil

**Pack:** HDPE jar of 60 tablets.

## KOFLYN SYRUP

Anti-cough expectorant Syrup.

### Description:

Syrup containing well known ayurvedic expectorant drugs for treatment of cough. Also indicated in the treatment of asthma and bronchitis.

### Composition:

	Each 5 ml of syrup contains
Vasaka (Adhatoda vasica)	135 mg.
Dudhi (Euphorbia pilulifera)	30 mg.
Huma (Ephedra gerardiana)	90 mg.
Jethimadh (Glycyrrhiza glabra)	210 mg.
Senega (Polygala chinensis)	30 mg.
Nala (Lobelia nicotianaefolia)	15 mg.

### Pharmacology:

**Vasaka** is an expectorant and liquefies thick and tenacious sputum so that it is easily brought out. **Dudhi** causes relaxation of bronchi by action on central nervous system. **Huma** controls the asthmatic paroxysms. **Jethimadh** is a mild expectorant and a demulcent. **Senega** is a very potent expectorant. **Nala** is an expectorant and a bronchodilator.

The formulation contains ingredients which alleviate all aspects of cough. It is free from side effects and can be given for long periods.

In children, with intractable cough, it should be administered for at least 2 weeks and continued further as necessary, depending on the response.

### Indications:

**Cough in** infants and children associated with infection, irritation, bronchitis and bronchospasm.

Intractable chronic cough and asthmatic cough in children.

### Dosage:

Infants : 1/4 teaspoon, 3 times a day.

Children 1 to 5 Years: 1/2 teaspoon, 3 times a day.

Children above 5 Years: 1 teaspoonful, 3 times a day.

Adults : 2 teaspoonsful, 4 times a day (at 4 to 6 hours intervals).

**Pack:** Bottle of 100ml syrup.

## KOFLYN

Anti-cough Tablets.

### Description:

Tablets containing well known ayurvedic expectorants and cough sedatives for treatment of cough, asthmatic cough and bronchitis.

### Composition:

	Each uncoated tablet contains
Vasaka (Adhatoda vasica)	140 mg.
Huma (Ephedra gerardiana)	60 mg.
Senega (Polygala chinensis)	20 mg.
Nala (Lobelia nicotianaefolia)	10 mg.
Dudhi (Euphorbia pilulifera)	20 mg.
Jethimadh Extract (Glycyrrhiza glabra)	20 mg.
Kababchini (Cubeb officinalis)	10 mg.
Kaiphal (Myrica nagi)	12.2 mg.
Balaharde (Terminalia chebula)	32.6 mg.
Swarnakshiri (Argemone mexicana)	4 mg.
Pipli (Piper longum)	2 mg.
Kakarasinghi (Rhus succedanea)	40.6 mg.

### Pharmacology:

**Vasaka** is an expectorant and liquefies thick and tenacious sputum so that it is easily brought out. **Dudhi** causes relaxation of bronchi by action on the central nervous system. **Jethimadh** is a mild expectorant and demulcent. **Huma** controls the asthmatic paroxysms. **Nala** is an expectorant and a bronchodilator. **Kaiphal** is used in chronic cough, asthma, bronchitis and lung affections. **Kababchini** and **Senega** are expectorants and stimulants. **Balaharde** is used in cough and asthma. **Swarnakshiri** is an expectorant and a sedative. **Pipli** is used in cold, cough and asthma. **Kakarasinghi** is an expectorant and an antiasthmatic and is used in conditions of the respiratory tract.

### Indications:

Acute and chronic cough. Useful as cough sedative and antispasmodic. Useful in various irritant cough.

### Dosage:

Adults : 1 to 2 tablets, 3 times a day.

Children : 1/4 to 1/2 tablet, according to age.

**Side effects :** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.  
Bottle of 300 Tablets.

## KYNOTOMINE

**Tablets and Pediatric syrup for treatment of liver disorders (including catarrhal jaundice).**

**Description:**

A combination of ayurvedic drugs for the treatment of disorders of the liver. Particularly effective in the treatment of catarrhal jaundice.

**Composition:**

	Each uncoated tablet contains	Each 5 ml of syrup contains
Bhangra (Eclipta alba)	52 mg.	9 mg.
Kutki (Picrorhiza kurroa)	34 mg.	5 mg.
Revandchini (Rheum webbianum)	23 mg.	5 mg.
Gandhak	5 mg.	--
Balaharde (Terminalia chebula)	11 mg.	2.5 mg.
Punarnava (Boerhaavia diffusa)	50 mg.	12.5 mg.
Manjistha (Rubia cordifolia)	27 mg.	
Bach (Acorus calamus)	7 mg.	
Aunla (Emblica officinalis)	58 mg.	
Makhal (Citrullus colocynthis)	9 mg.	
Papra (Podophyllum emodi)	9 mg.	
Lavang (Myrtus caryophyllus)	7 mg.	
Jaiphal (Myristica fragrans)	7 mg.	
Dalchini (Cinnamom zeylanicum)	11 mg.	
Haldi (Curcuma longa)	17 mg.	
Sunth (Zingiber officinale)	4 mg.	
Ajwan (Ptychotis ajowan)	6 mg.	
Pippli (Piper longum)	2 mg.	
Jeera (Cuminum cyminum)	2 mg.	
Sounf (Foeniculum vulgare)	13 mg.	

**Pharmacology:**

**Revandchini** is a mild laxative and is also an astringent, bitter, useful in the treatment of diarrhea.

**Gandak** is a mild aperient, increases bile secretion.

**Balaharde** is useful in an enlarged liver.

**Kutki** is a hydrogogue, purgative and enhances the action of the other ingredients.

**Punarnava** is also a well known diuretic, relieves oedema and ascites.

**Bhangra / Bhringraj** is a well known remedy for disorders of the liver. It acts as a cholagogue and a hepatic tonic by flushing the ducts with healthy bile.

**Makhal** is useful in intestinal parasites, constipation and jaundice.

**Papra** is a sure purge in torpid liver, producing copious discharge of bile and is used in bilious fevers.

**Manjistha** is used in jaundice.

**Bach, Aunla, Lavang, Jaiphal, Ajwan, Pippli, Jeera, Sounf, Dalchini, Haldi** and **Sunth** are used as carminatives, stimulants, aromatics and digestives.

**Indications:**

For the treatment of catarrhal jaundice, KYNOTOMINE exerts a mild antiseptic action in the biliary tract and clears jaundice within a few days.

**Dosage:**

Adults : 1 to 2 tablets, 3 times a day.

Children : 1/2 tablet, 3 times a day or 1 to 2 teaspoonsful of syrup, 2 to 3 times a day.

**Side effects :** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.  
Bottle of 250 tablets.  
Bottle of 100ml syrup.

## LIVACTIN - G

**Anti-oxidant tablets.**

**Description:**

Herbo mineral combination for senile debility and ageing disorders.

**Composition :**

	Each tablet contains
Ashwagandha Extract (Withania somnifera)	225 mg.
Mandookaparni Extract (Centella asiatica)	100 mg.
Brahmi Extract (Bacopa monniera)	125 mg.
Shuddha Shilajith	60 mg.

### Pharmacology:

**Ashwagandha** is widely used in ayurveda. Traditionally the root is used as a general tonic to increase energy and to improve overall health and longevity. Latest scientific research has proved that ashwagandha is very helpful as an anti ageing, rejuvenator. It is useful as a neuroprotector, an antistress, an immunomodulator, an adaptogen, an antioxidant and as a tonic for midlife crisis.

**Brahmi** is used in ayurveda for more than 3000 years, for its memory enhancing activity which is proved by latest research. Brahmi is useful in improving memory as a brain tonic, as an adaptogen, as an antioxidant, as an antianxiety agent and as a neuroprotective.

**Mandookaparni** is used as a brain tonic and scientific research has proved that it is useful in improving memory, as an immunity promoter, as an antistress and it also decreases general debility and improves behavioural pattern.

**Shilajit** is an immunomodulator, very effective in geriatric complaints, as an antistress, an adaptogen and an antioxidant. It is widely used in general and sexual weakness as an aphrodisiac.

### Indications :

In senile debility, wasting disorders, as a tonic in old age, as an antioxidant, as an antistress, as an adaptogen and in associated symptoms of ageing such as:

- \* Changes in mood and cognitive functions.
- \* Impaired quality of life.
- \* In failing memory.
- \* Insomnia.
- \* Fatigue.
- \* Loss of libido.

### Dosage :

1 to 2 tablets, after breakfast and lunch.

**Side effects:** Nil

### Pack:

Bottle of 30 tablets.

## MEDICATED TOOTH POWDER

### Description:

Combination of excellent herbs for pyorrhea, gingivitis and spongy gums.

### Composition:

	Each 100g powder contains
Haritaki	12 gm.
Vidanga	1.5 gm.
Kanana eranda	2.0 gm.
Vembaka	1.7 gm.
Ajwan	1 gm.
Phithkari	3.4 gm.
Gandharpur Tel	1 ml.
Sudha	q.s.

### Pharmacology:

**Haritaki** finely powdered is used as a dentifrice, useful in gum bleeding and ulceration of gums. **Vidanga** is used for toothache and ulcers of mouth. **Kanana eranda** is used to strengthen gums. **Vembaka/Neem** is a cure for toothache, bad breath and gum diseases. **Ajwan** is antiseptic, analgesic, anesthetic and antibacterial. **Phithkari** is used in spongy, bleeding gums, loose teeth and ulcers of the mouth.

### Application:

Use finger for rubbing the teeth and massaging the gums with tooth powder. Do not rinse the mouth or gargle after using the tooth powder for 5 - 10 minutes. Use the tooth powder before retiring at night and first thing in the morning.

Regular use cures pyorrhea. If there is much pus, use ENTROPS as gum paint, at night and morning after rubbing the teeth and massaging the gums with tooth powder.

**Pack:** HDPE jar of 50g powder.

## MEDITAB

### Anti-cough Tablets.

### Description:

Combination of ayurvedic drugs well known for their therapeutic effect on cough. Contains Kapardika Bhasma for toning up the system in chronic cough with debility.

### Composition:

	Each uncoated tablet contains
Nala (Lobelia nicotianaefolia)	51 mg.
Dudhi (Euphorbia pilulifera)	27 mg.
Kapardika Bhasma (Calcined cowries)	7 mg.

Vasaka (Adhatoda vasica)	63 mg.
Lasun (Allium sativum)	7 mg.

**Pharmacology:**

**Vasaka, Nala** and **Dudhi** are useful expectorants in liquefying sputum (see KOFLYN for acute cough) **Lasun** has expectorant, antiseptic, diaphoretic and diuretic properties. It has been used in chronic bronchitis and other pulmonary conditions. **Kapardika Bhasma** is believed to act as a general tonic particularly in chronic lung diseases e.g. : tuberculosis.

**Indications:**

Chronic cough, cough in tuberculosis, chronic asthmatic cough.

**Note:** For acute cough, use KOFLYN. For harassing spasmodic cough use DANGINE and DESMA alternatively. The chest can be massaged with CHESOL or RUBZON.

**Dosage:**

1 to 2 tablets, with milk or honey, 2 to 3 times a day.

**Side effects:** Nil

**Pack:**

Bottle of 20 tablets.

**MERSINA**

**Anti-diabetic Capsules.**

**Description:**

MERSINA is a poly herbal compound for the effective control of maturity onset non-insulin dependent diabetes mellitus (Type 2 Diabetes).

**Composition:**

	Each capsule contains
Merasingi (Gymnema sylvestre)	75 mg.
Karela (Momordica charantia)	81 mg.
Tarwara (Cassia auriculata)	63 mg.
Jamun (Syzygium cumini)	96 mg.
Aunla (Phyllanthus emblica)	48 mg.
Neem (Melia azadirachta)	30 mg.
Methi (Trigonella foenum graecum)	15 mg.
Kovai (Coccinia indica)	93 mg.
Guduchi (Tinospora cordifolia)	63 mg.
Javakhar	12 mg.

**Pharmacology:**

**Merasingi, Karela, Tarwara, Aunla, Neem, Guduchi** are useful in the treatment of diabetes. **Jamun** has anti-diabetic action and phenolic substances in it. which checks the pathological conversion of starch into sugar and also decreases the quantity of sugar in urine and allays the thirst of diabetes. **Methi** exerts anti-diabetic effect and can be used in combination with insulin. **Kovai** is an indigenous substitute for insulin and has the remarkable effect in reducing sugar.

**Indications:**

Maturity onset non-insulin dependent diabetes mellitus (Type-2 Diabetes)

**Dosage:**

1 to 2 capsules, 1/2 an hour before Breakfast, Lunch & Dinner.

**Therapeutic use:**

Mersina can be safely prescribed in the dosage range for the effective control of maturity onset non-insulin dependent diabetes mellitus (Type-2 Diabetes), especially useful to patients with above normal body weight.

**Contra-indications:**

MERSINA is not recommended for insulin dependent (Type-1 Diabetes), ketosis, diabetes associated with carbuncle, severe hyperglycemia during pregnancy and lactation.

**Side effects:**

Nil with recommended doses.

**Pack:**

Box of 5 blister strips of 10 capsules each.

**NEVOSS**

**Tablets for treatment of nervous weakness, anxiety.**

**Description:**

A combination of ayurvedic drugs for nervous breakdown and various manifestations of nervous tension.

**Composition:**

	Each uncoated tablet contains
Khurasani Ajwan (Hyoscyamus niger)	20 mg.
Asgandh (Withania somnifera)	60 mg.
Jetimadh (Glycyrrhiza glabra)	45 mg.
Jaiphal (Myristica fragrans)	0.5 mg.
Gokhru (Tribulus terrestris)	80 mg.

**Pharmacology:**

**Khurasani Ajwan** is used as a hypnotic, sedative, and in spasms of the intestines and urinary tract. **Gokhru** is used as a tonic, aphrodisiac and cooling in cases of spermatorrhea and phosphaturia and in cases of gentio-urinary tracts. **Jetimadh** is used as a tonic, cooling and demulcent. **Asgandh** is a sedative and tonic. **Jaiphal** is an aromatic and a stimulant.

**Indications:**

All manifestations of nervous weakness, anxiety, frequent urination, gastrointestinal spasms, tremors etc. Nervous breakdown due to excessive physical or mental strain. Loss of vitality, spermatorrhea, abnormal sexual desire, excessive sweating. Does not retard mental function, or cause mental confusion.

**Dosage:**

Adults : 1 to 2 tablets, every 3 to 4 hours. Best taken with milk.  
Children : 1/4 to 1/2 tablet, every 4 hours.

**Side effects:** Nil

**Pack:**

Bottle of 100 tablets.

**OLOSYN**

**External oil for scalp massage to strengthen the hair.**

**Description:**

Extract of ayurvedic herbs in vegetable oil for soothing action on the nervous system.

**Composition:**

	Each 100g oil contains
Bhangra (Eclipta alba)	0.66 gm.
Neem (Melia azadirachta)	0.66 gm.
Gajga (Caesalpinia bonduc)	0.66 gm.
Brahmi (Hydrocotyle asiatica)	0.66 gm.
Methi Seeds (Trigonella foenum graeceum)	2.2 gm.
Dhatura (Dhatura metel)	1.32 gm.
Aunla (Emblica officinalis)	3.33 gm.
Vegetable oil	q.s.

**Pharmacology:**

An extract in oil from the well known Indian herbs. When rubbed externally, has a soothing tonic effect on the muscles and nerves and also healing effect in many skin conditions. It also controls nervous agitation and exerts a mild sedative action.

**Aunla** is rich in tannins and fixed oil. It strengthens and promotes growth of hair. **Brahmi** is a local stimulant, useful for skin eruptions, eczema and ulcers. **Bhangra** contains oil soluble dye, useful in alopecia and skin diseases. **Neem** is useful to kill lice and to cure eruptions of the scalp. **Methi** seeds are cooling, emollient, promotes the growth of hair and also prevent hair from falling off. **Dhatura** is useful in preventing lice and in skin eruptions. **Gajga** contains fixed oil which is useful in palsy and nervous complaints.

**Application:**

Used as a hair oil (massaged with fingers well into the scalp, an hour before retiring), induces sound sleep, relieves headache and exerts a mild sedative action. Has a tonic action on hair growth and can be used in the loss of hair. For body massage mix with any oil in the proportion of 1: 5 and massage before bath. OLOSYN is useful in epilepsy, hysteria and nervous debility. If there is no perforation of the eardrum, instill two drops in the ear, once a day, besides application on the head.

**Pack:**

Bottle of 50ml oil.  
Bottle of 100ml oil.

**RASGENT**

**Eye drops.**

**Description:**

Soothing eyedrops for congestion and inflammation.

**Composition:**

	Each 100g powder contains
Raskapur	1.1 gm.
Phitkari	1.1 gm.
Namak	3.4 gm.

**Indications:**

Local application of the solution to the eye, has an antiseptic and soothing action in conjunctivitis. Relieves congestion and inflammation.

**Application:**

Dissolve 1 to 2 grains (15 to 30 mg) in a teaspoonful of boiled and cooled water and put a few drops in both eyes. Even if one eye is affected, it is necessary to put RASGENT drops in both eyes, to avoid sympathetic ophthalmia. Apply 2 to 3 times a day and before retiring to bed. For pimples, boils etc. use 60 to 100 mg, orally two times a day.

**Pack:**

Bottle of 10g powder.

**REMORIN****Anti-rheumatic Capsules.****Description:**

A combination of ayurvedic drugs for Rheumatoid Arthritis and Osteoarthritis.

**Composition:**

	Each capsule contains
Guggul (Balsamodendron mukul)	100 mg.
Aunla (Phyllanthus emblica)	3.7 mg.
Safed Namak (Sodium chloridum)	3.7 mg.
Saindhava (Potassii nitras)	3.7 mg.
Harda (Terminalia chebula)	3.7 mg.
Behara (Terminalia belerica)	3.7 mg.
Sunth (Zingiber officinale)	3.7 mg.
Kalimirchi (Piper nigrum)	3.7 mg.
Pipli (Piper longum)	3.7 mg.
Gajpipal (Scindapsus officinalis)	3.7 mg.
Vidanga (Embelia ribes)	3.7 mg.
Jeera (Cuminum cyminum)	3.7 mg.
Kalajeera (Carum nigrum)	3.7 mg.
Kababchini (Piper cubeba)	3.7 mg.
Kulanjan (Alpinia galanga)	3.7 mg.
Nirgundi (Vitex negundo)	3.7 mg.
Dhania (Coriandrum sativum)	3.7 mg.
Talispatra (Abies webbiana)	3.7 mg.
Kutki (Picrorhiza kurroa)	3.7 mg.
Motha (Cyperus rotundus)	3.7 mg.
Chhotielachi (Elettaria cardamomum)	3.7 mg.
Chota gokhru (Tribulus terrestris)	3.7 mg.
Javakhar (Potassii carbonas)	3.7 mg.
Bach (Acorus calamus)	3.7 mg.

Mitha indarjou (Wrightia tinctoria)	3.7 mg.
Ajwan (Ptychotis ajowan)	3.7 mg.
Ativisha (Aconitum heterophyllum)	3.7 mg.
Sadab (Ruta graveolens)	3.7 mg.

**Pharmacology:**

Reduces inflammation of joints, relieves pain, controls muscular spasm, slows down fatty degenerative changes. The **Guggul** constituent of REMORIN also offers hypolipidaemic and hypocholesterolaemic activity.

**Indications:**

Rheumatoid arthritis, osteoarthritis, arthralgia, ankylosing spondylitis, cervical spondylitis, shoulder arm syndrome. A bonus benefit of REMORIN in obese patients is the lowering of serum cholesterol levels.

**Dosage:**

**Adults:** Initially: 2 capsules, 3 times a day, for the first 15 days.

Subsequently: 1 capsule, 3 times a day, for at least 3 months. Weak or emaciated patients may respond to a lower dosage.

Vit C or a glass of any fresh citrus fruit juice should be taken daily.

**Contraindications:** To be avoided during pregnancy, lactation and in diarrhea.

**Pack:**

Box of 3 blister strips of 10 capsules each.

**REMORIN OIL****Anti-rheumatic Oil.****Description:**

A combination of ayurvedic drugs for arthritic pains, joint pains, stiff joints and sciatica.

**Composition:**

	Each 100g oil contains
Guggul (Balsamodendron mukul)	5 gm.
Asgandh (Withania somnifera)	5 gm.
Nirgundi (Vitex negundo)	5 gm.
Rasna (Alpinia galanga)	5 gm.
Haldi (Curcuma longa)	2 gm.
Shobhajana (Moringa oleifera)	5 gm.
Datura (Datura alba)	3 gm.



Sunth (Zingiber officinale)	3 gm.
Erand (Ricinus communis)	4 gm.
Akda (Calotropis gigantea)	3 gm.
Karpoor (Camphora officinarum)	5 gm.
Pudina Arka (Mentha arvensis)	5 gm.
Gandhapura Tel (Winter green oil)	6 ml.
Gandhaberoza tel (Pinus palustris)	4 ml.
Vegetable Oil	q.s.

### Pharmacology:

**Guggul** is useful in ankylosis, stiffness of joints, rheumatoid arthritis and allied disorders. It can penetrate any system and reach its site of action.

**Asgandh** is an anti-inflammatory, an antiarthritic and an analgesic.

**Nirgundi** is very useful in reducing swelling of joints caused by acute rheumatism. **Rasna** is used in rheumatism and allied disorders. **Haldi** possesses local and systemic anti-inflammatory properties. **Shobhajana** is used in rheumatism and joint pains. **Datura** is used to relieve rheumatic pains, swelling of the joints, lumbago, sciatica and neuralgia. **Erand** is used in rheumatic affections and lumbago. **Akda** is applied in painful joints and swellings. **Sunth, Karpoor, Pudina arka, Gandhaberoza** and **Gandhapura Tel** are used as local stimulants and rubefacients. The REMORIN oil base is specially formulated with above ingredients to have maximum penetration, fast and effective relief.

### Indications:

Arthritic pains, joint pains, stiff joints and sciatica.

### Application:

On the affected part of the body apply gently followed by fomentation with hot water. Do not massage.

**Simultaneous use of REMORIN CAPSULES brings complete and faster relief.**

### Pack:

Bottle of 50ml oil.  
Bottle of 100ml oil.

## RIPANTO

**Ointment for burns and eczema.**

### Description:

A soothing ointment for burns, scalds, eczema, ulcers etc.

### Composition:

	Each 100g contains
Oleum Lini	33.6 gm.
Oleum Sesami	8.8 gm.
in a Beeswax base	

### Application:

**Burns and scalds:** Apply liberally on the affected part. Soothing action relieves pain and burning. It should be applied in the morning and night until the affected part is healed. May be kept covered with dressing after application.

**Ulcers, eczema, bedsores :** Apply morning and evening after washing the part with warm water and drying with a soft cloth.

**Cracked skin fissures and rough skin:** Massage lightly to keep the skin soft. Used on the face as a light cream, also for palms, soles cracked or peeling skin in dry or moist weather.

**Oleum Lini** and **Oleum Sesami** are emollients and soothing to inflamed surfaces and helps healing.

Can also be applied in piles, before and after defecation. Constipation must be corrected with SPOLAX.

### Pack:

Tube of 15g.

## RUBZON

**Vapour-rub for headaches and colds.**

### Description:

A combination of well known ingredients for external application by gentle massaging.

### Composition:

	Each 100g contains
Pudina arka (Mentha arvensis)	5 gm.
Karpoor (Camphora officinarum)	10 gm.
Nilgiri tel (Eucalyptus globulus)	2.5 ml.
Gandhaberoza tel (Pinus palustris)	2.5 ml.
Gandhapura tel (Methyl salicylas)	5 ml.
Paraffin base	q.s.

### Pharmacology:

Specially prepared paraffin base makes the action prolonged. **Gandhapur tel** is readily absorbed through the skin and is used for relief of pain in lumbago, sciatica and rheumatic conditions.

**Pudina arka** applied to the skin, dilates the vessels causing a sensation of coldness followed by analgesic effect and is useful for headaches, rheumatic pains and neuralgias. **Karpoor** too acts as a rubefacient, mild analgesic and counter irritant in fibrositis and neuralgia. **Nilgiri tel** is a respiratory antiseptic and often used in inhaled steam or as an ointment in colds for external application.

**Gandhaberoza tel** like **Nilgiri tel**, is also used as counter irritant and cutaneous stimulant in the treatment of chronic inflammatory conditions, to relieve neuralgia and rheumatic pains and for application to the chest in bronchitis and pleurisy. When inhaled, these two essential oils arrest profuse secretion and relieves congestion of the bronchioles in bronchitis.

#### Indications and Application:

Headache, cold and cough, bronchitis, aches and pains, neuralgia, sprains. Can also be inhaled with vapours from boiling water in chest colds. Apply RUBZON on the affected part and massage gently.

#### Pack:

Tube of 15g.

## SAL PHOS

**Digestive and appetite increasing tablets.**

#### Description:

Combination of ayurvedic drugs for loss of appetite and digestive disorders.

#### Composition:

	Each tablet contains
Revandchini (Rheum webbianum)	33 mg.
Chitrak (Plumbago zeylanicum )	33 mg.
Balaharde (Terminalia chebula)	23 mg.
Sunth (Zingiber officinale)	8 mg.
Jeera (Cuminum cyminum)	4 mg.
Talispatra (Abies webbiana )	13 mg.
Papai (Carica papaya )	12 mg.
Aunla (Emblica officinalis )	10 mg.
Kutki (Picrorhiza kurroa )	8 mg.
Sounf (Foeniculum vulgare )	28 mg.
Jungli Elaichi (Amomum subulatum )	3 mg.
Chirata (Swertia chirata )	8 mg.
Dhania (Coriandrum sativum )	3 mg.

Bhangra (Eclipta alba )	32 mg.
Haldi (Curcuma longa )	33 mg.
Ajwan (Ptychotis ajowan )	12 mg.
Pippli (Piper longum )	4 mg.

#### Pharmacology:

**Revandchini**, in small doses is used as an astringent, bitter and in the treatment of diarrhea.

**Balaharde** is used as an astringent, bitter, stomachic and regulates the bowel movement.

**Jeera** is used as a carminative and increases appetite.

**Sunth** is used as a carminative. It also prevents griping.

**Chitrak** is mainly used for stomach troubles and better digestion.

**Sounf** relieves flatulence.

**Aunla** is used for regulating bowel movements.

**Talispatra** is a carminative stomachic and a tonic.

**Papai** used in deficiency of gastric juice in dyspepsia and intestinal irritations.

**Kutki** is used in loss of appetite, indigestion and dyspepsia.

**Haldi** is an aromatic, a carminative and an anthelmintic.

**Jungli elaichi, Chitrak, Dhania, Bhangra, Ajwan** and **Pippli** are very good digestives, carminatives and stomachics.

The combination acts as a carminative, a stomachic and a cholagogue and it improves digestion.

#### Indications:

Loss of appetite, fermentative disorders of digestion, biliousness, flatulence, dyspeptic symptoms, chronic constipation.

#### Dosage:

Adults : In loss of appetite and as a digestive tonic, 1 to 2 tablets before each meal. In other digestive troubles 1 to 2 tablets after each meal.

Children : 1/2 to 1 tablet, according to age.

Infants : BIO-SAL is recommended.

**Side effects :** Nil

#### Pack:

Box of 10 strips of 10 tablets each.

Bottle of 300 tablets.

## SENZINE

Tonic tablets for nervous debility.

### Description:

The combination of ayurvedic drugs in SENZINE is not a sexual excitant, but is a reliable tonic in nervous debility and sexual inefficiency.

### Composition:

	Each uncoated tablet contains
Gokhru ( <i>Tribulus terrestris</i> )	115 mg.
Asgandh ( <i>Withania somnifera</i> )	44 mg.
Swarnakshiri ( <i>Argemone mexicana</i> )	6 mg.
Sunth ( <i>Zingiber officinale</i> )	9 mg.
Lasun ( <i>Allium sativum</i> )	2 mg.
Bach ( <i>Acorus calamus</i> )	8 mg.
Jeera ( <i>Cuminum cyminum</i> )	11 mg.
Jethimadh ( <i>Glycyrrhiza glabra</i> )	25 mg.
Jaiphal ( <i>Myristica fragrans</i> )	11 mg.
Chotachand ( <i>Rauwolfia serpentina</i> )	3 mg.
Balatagra ( <i>Valeriana wallichii</i> )	3 mg.

### Pharmacology:

The ingredients act as a nerve sedative, allay anxiety and tension and helps in restoring sexual competence. **Sunth** is a carminative and produces a sense of well being. **Asgandh** is also a sedative of the CNS. **Gokhru** corrects burning sensations in micturition and urinary troubles and is a sexual stimulant. **Lasun** is an antiseptic having diuretic and diaphoretic properties. **Swarnakshiri** in small doses stimulates the CNS. **Bach** is a stimulant and a nervine sedative **Jethimedh** is used as a tonic, a cooling agent and a demulcent. **Jaiphal** is a stimulant and a carminative. **Chotachand** is used as a sedative and a hypnotic. **Balatagra** is a stimulant and a nervine sedative. **Jeera** is a carminative, a stimulant and an aromatic.

### Indications:

Impotence due to neurasthenia or nervous debility. A mild sedative to restore sexual efficiency

### Dosage:

As a nervine sedative 1 to 2 tablets, an hour before food.  
As a sexual stimulant 1 to 2 tablets, 3 times a day.

**Side effects:** Nil

**Pack:** Bottle of 100 tablets.

## SPOLAX

Laxative granules.

### Description:

Granules containing natural vegetable laxatives for chronic constipation and re-educating bowel movement. Does not cause pain, discomfort or irritation of the intestinal mucosa.

### Composition:

	Each 5 g of granules contains
Spogel ( <i>Ispaghulae testa</i> )	2.5 gm.
Gum Tragacanth	0.5 gm.
Ext. Senna (1:5)	0.1 gm.
Sounf ( <i>Foeniculum vulgare</i> )	0.125 gm.
Jeera ( <i>Cuminum cyminum</i> )	0.025 gm.

### Pharmacology:

The active principles of **Senna** are absorbed from the gut and are excreted largely into the colon, where they stimulate peristaltic movement like normal bowel function. **Sounf** is an aromatic carminative. It is given for the treatment of flatulence. **Spogel** derived from the husk of mucilaginous seeds absorbs water and has a remarkable power of absorbing bacterial and other toxins. The action is purely mechanical in producing smooth semisolid stool.

### Indications:

Habitual constipation due to spastic colon, dietary insufficiency, lack of exercise, constipation in the elderly and children, bedridden patients. It affords immediate relief to sufferers of piles by aiding painless evacuation of the bowels. As an adjunct to treatment in diarrhea and dysentery.

### Dosage:

Adults : 1 to 3 teaspoonsful of the granules to be swallowed without chewing, with a glass of water in the evening, 2 hours before or after the meal. There will be evacuation of the bowels next morning.  
Children : (above 5 years) 1 teaspoonful with water.

**Side effects:** Nil

### Pack:

HDPE jar of 75g granules.  
HDPE jar of 200g granules.

## SPOLAX - E Powder

### Effervescent Powder For Chronic Constipation.

#### Description:

Fiber supplement, laxative and carminative. Its high fiber content without sugar makes it safe for diabetic use.

#### Composition:

	Each 5.6 g of powder contains
Spogel (Isapgula testa)	3.71 gm.
Sounf (Foeniculum vulgare)	0.140 gm.
Jeera (Cuminum cyminum)	0.028 gm.

#### Pharmacology:

**Isapgula** derived from the **husk** of mucilaginous seeds absorbs water and has a remarkable power of absorbing bacterial and other toxins. The action is purely mechanical in producing smooth semisolid stool. **Sounf** and **Jeera** are aromatics, carminatives. It is given for the treatment of flatulence.

#### Indication:

Habitual constipation due to spastic colon, dietary insufficiency, lack of exercise, constipation in the elderly, children and bed-ridden patients. Affords immediate relief to sufferers of piles by aiding painless evacuation of the bowels. SPOLAX-E is safe in the management of constipation and can be used in pregnancy safely.

In diabetic and cardiac patients to reduce cholesterol levels.

#### Dosage:

Adults: Put 1 to 3 teaspoons of SPOLAX-E in a dry glass, add water, stir and drink immediately and then drink an extra glass of water.

**Pack:** HDPE jar of 125g powder.

## TURAICO

### Diuretic and urinary antiseptic tablets.

#### Description:

Combination of well-known ayurvedic drugs used as diuretic and urinary antiseptics.

#### Composition:

	Each uncoated tablet contains
Punarnava (Boerhaavia diffusa)	120 mg.
Kababchini (Cubeba officinalis)	30 mg.

Gokhru (Tribulus terrestris)	120 mg.
Nagakesar (Mesua ferrea)	30 mg.

#### Pharmacology:

**Kababchini** is a well-known urinary antiseptic and is used in gonorrhoeal urethritis, chronic cystitis etc. It is used for removing stone from the kidney and the bladder. **Punarnava** is a well known diuretic and is used in all types of oedema due to congestive heart failure, kidney disease and ascites. **Gokhru** is used in painful micturition and inflammation of the urinary tract. **Nagakesar** is used as an astringent and a stomachic.

#### Indications:

As a diuretic, urinary antiseptic and sedative, in painful and difficult micturition due to stone formation or infection.

#### Dosage:

Adults: 1 to 2 tablets, 3 times a day.

Adequate intake of water should be maintained.

#### Side effects : Nil

#### Pack:

Box of 10 blister strips of 10 tablets each.

Bottle of 300 tablets.

## VITESSON

### Tranquillizer tablets.

#### Description:

Ayurvedic drug combination for toning up the nervous system. Non habit forming. Tranquillizer without depressive effects.

#### Composition:

	Each uncoated tablet contains
Chotachand (Rauwolfia serpentina)	20.0 mg.
Asgandh (Withania somnifera)	80.0 mg.
Balatagra (Valeriana wallichii)	80.0 mg.
Khurasani ajwan (Hyoscyamus niger)	20.0 mg.
Ext. Khurasani ajwan (Hyoscyamus niger)	0.5 mg.

#### Pharmacology:

**Asgandh** is used as a sedative of the CNS, as a tonic, an antistress and as an aphrodisiac. It is also a mild diuretic. **Chotachand** is used in hypertension, psychosomatic disorders and nervous tension. **Balatagra**

is used in insomnia and irritability, hysteria and epilepsy. **Khurasani Ajwan** is a carminative and an antispasmodic, sedative and hypnotic.

**Indications:**

Disorders of psychosomatic origin. nervous tension, anxiety, sleeplessness, hypertension, muscular and joint pains, headache and pains of nervous origin, suitable for day time administration.

**Dosage:**

Adults : 1 to 2 tablets, 3 times a day. Dosage adjusted according to response. Can be used as a supplement to other forms of therapy.  
Children : 1/4 to 1/2 tablet, according to age.

**Side effects:** Nil

**Pack:**

Box of 10 blister strips of 10 tablets each.  
Bottle of 300 tablets.

## VITESSON FORTE

**Vitesson is also available in fortified form.**

**Description:**

Ayurvedic drug combination for toning up the nervous system. Non habit forming. Tranquillizer without depressive effects.

**Composition:**

	Each tablet contains
Chotachand (Rauwolfia serpentina)	40 mg.
Asgandh (Withania somnifera)	200 mg.
Balatagra (Valeriana wallichii)	200 mg.
Khurasani ajwan (Hyoscyamus niger)	40 mg.
Ext. Khurasani ajwan (Hyoscyamus niger)	1 mg.

**Indications:**

Disorders of psychosomatic origin. Nervous tension, anxiety, sleeplessness, hypertension, muscular and joint pains, headache and pains of nervous origin, suitable for day time administration.

**Dosage:**

Adults : 1 tablet, 3 times a day. Dosage adjusted according to response. Can be used as a supplement to other forms of therapy.

**Side effects:** Nil

**Pack:** HDPE jar of 60 tablets.

## HOMEOPATHIC

### AGAR- CO

**Sedative and anticonvulsant tablets.**

**Description:**

A combination of drugs used for sedation and epilepsy.

**Composition:**

	Each uncoated tablet contains
Tr. Agaricus Q	0.0064 ml.
Tr. Aethusa Q	0.0064 ml.
Tr. Liliium Q	0.0132 ml.

**Pharmacology:**

**Agaricus**, in minute doses, acts as a sedative and antispasmodic and is of great value in convulsive disorders and hysteria. **Lilium** exerts a powerful influence on the pelvic organs. **Agarco** is useful in hysteria since some pathological conditions of the uterus and ovaries may reflexly cause hysterical symptoms. **Aethusa** is a sedative, prevents restlessness, irritability and vertigo.

**Indications:**

Convulsions in infants and children.

Hysteria in women.

Hysterical manifestation in children and men.

In epilepsy, start VITESSON during the day, in addition to AGARCO at bedtime. Treatment should be continued for prolonged periods of time for adequate and optimal effect.

In patients prone to recurrent attacks, treatment should be started in combination with VITESSON.

**Dosage:**

Infants and small children :

1/4 tablet crushed can be given with milk or honey.

Older children and adults :

1/2 tablet, 3 times daily.

To be given 1/2 hour before food, on an empty stomach.

**Side effects:** Nil

**Pack:** Bottle of 50 tablets.

## AMYGLIA

### Antispasmodic tablets.

#### Description:

A combination of drugs specially useful for the relief of arterial tension and angina pectoris.

#### Composition:

	Each uncoated tablet contains
Tr. Liliium Q	0.0004 ml.
Glonoinum 3x	1.6 mg.
Natrum Nitrosum 3x	205 mg.

#### Indications:

For relief of angina pectoris, since it acts by dilatation of the coronary artery. For relief of headaches and high blood pressure, when immediate relief is desired (as it dilates blood vessels and lowers blood pressure). When VITESSON does not relieve headache, give AMYGLIA. Spasmodic affections e.g. dysmenorrhea, asthma, whooping cough, convulsions in infants, migraine etc.

A crushed tablet placed under tongue frequently, aborts an attack of epilepsy.

#### Dosage:

1/2 tablet, 3 times a day, 1/2 hour before food on an empty stomach.

#### Side effects:

 Nil

#### Pack:

Bottle of 50 tablets.

## AURATINUM

### Anti-inflammatory tablets for female disorders.

#### Description:

Drugs specially compounded in tablet form, for their effect on the uterus and ovaries.

#### Composition:

	Each uncoated tablet contains
Aurum muriaticum 3x	24 mg.
Tr. Pulsatilla Q	0.008 ml.
Tr. Thuja Q	0.0024 ml.

#### Pharmacology:

**Aurum Muriaticum** is effective in disorders of the pelvic organs in females. It also has a marked effect on high blood pressure.

**Tr. Pulsatilla** is particularly useful in emotional patients. It relieves neuralgic pains and aches and is also used in amenorrhea and to correct menstrual irregularities.

**Tr. Thuja** is specially useful in leucorrhoea, scanty and retarded menstruation, pain in the inguinal region due to ovaritis or salpingitis.

#### Indications:

Inflammatory conditions of the uterus and ovaries, associated with pain or disorders of menstruation.

Ulceration of the cervix, leucorrhoea, scanty and irregular menstruation. Particularly useful for emotional women who exhibit a variety of symptoms like neuralgic pain, profuse perspiration, dysmenorrhoea, coldness of the body etc.

#### Dosage:

1 to 2 tablets three times a day, preferably 1/2 an hour before food on an empty stomach.

#### Side effects:

 Nil

#### Pack:

Bottle of 50 tablets.

## ZAHER- CO

### Homeopathic tablets for scorpion sting and menopausal changes.

#### Description:

A combination of homeopathic drugs indicated in diseases associated with menopause, in the treatment of headache resulting from exposure to sun and in the alleviation of pain from a scorpion sting.

#### Composition:

	Each uncoated tablet contains
Lachesis 6 x	0.78 mg.
Tuberculinum 6 x	0.0034 mg.

#### Dosage:

Adults : 1 tablet, repeat 4 hourly if necessary.

Children : 1/4 to 1/2 tablet.

#### Side effects:

 Nil

#### Pack:

 Bottle of 30 tablets.

**NOTES**

**NOTES**